



# CTEZED 14

Compact, easy to use, maneuverable CTE ZED 14 is ideal for working in town environments.

## COMPACTNESS

The design of CTE platforms has been studied to enable access and transit even in confined spaces, thanks to its extreme compactness.




## UNRESTRICTED WORKING AREA

No electronic limiting device for easier use and to reduce the risk of damage.

## ZERO TAILSWING

No end obstruction while working so facilitating operations in tight spaces (turning the platform into the closed position, the outer space to the stabilizers is 0 mm).



## CLEAN TOP BOOM

In CTE ZED truck-mounted aerial platforms both the extension cylinder and the electrical and hydraulic systems are inside the arm, protected from weathering and debris.

The electrical system and catenary housed inside the arm are protected from getting caught up with other elements during operation.

# TECHNICAL DATA

- Pantograph + telescopic boom
- Proportional, single electrohydraulic controls in basket
- Turret rotation 360° continuous
- Engine start and stop controls from basket and ground
- Automatic hydraulically actioned basket levelling
- Aluminium anti-slip deck
- Basket base in composite material with aluminium guardrails
- 65° right + 65° left hydraulic basket rotation
- 4 hydraulic outriggers with ground pressure sensors
- Buzzer indicating PTO engaged
- Hour meter
- 230 V AC in the basket
- Fixed sidewalls on chassis
- Magnetic flashing beacon
- EN 280:2013 CE certified
- Standard boom colour blue (RAL 5017) or white (RAL 9003)
- European Homologation certificate

## CTE S.p.A.

**Headquarter and Factory**  
7 Via Caproni  
Rovereto (TN) IT, 38068

**Ph.** +39 0464 48.50.50  
**Fax** +39 0464 48.50.99  
info@ctelift.com  
[www.ctelift.com](http://www.ctelift.com)

**Factory**  
5 Loc. Terramatta  
Rivoli Veronese (VR) IT, 37010

**CTE UK Ltd**  
Enderby Leicestershire - UK

